

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 08/09/2017 Version: 5.0

SECTION 1: Identification			
1.1. Identification			
Product form	: Mixture		
Trade name : 60/40			
Product code : A00000076			
1.2. Recommended use and restrictions of	n use		
Recommended use	: Alloys for brazing/soldering and other metallurgica	al processes	
1.3. Supplier			
Lucas-Milhaupt, Inc. 5656 South Pennsylvania Ave. Cudahy, WI 53110 - USA T (414)-769-6000 LM SDSinfo@lucasmilhaupt.com - www.Lucasmil	haupt.com		
1.4. Emergency telephone number			
	: CHEMTREC within the USA and Canada: 1-800- CHEMTREC outside the USA and Canada +1 70		
SECTION 2: Hazard(s) identification			
2.1. Classification of the substance or mix	cture		
GHS-US classification			
Carcinogenicity, Category H350 1B	May cause cancer.		
Reproductive toxicity, H360 Category 1A	May damage fertility or the unborn child.		
Full text of H statements : see section 16			
2.2. GHS Label elements, including preca	utionary statements		
GHS-US labelling	·		
Hazard pictograms (GHS-US)			
Signal word (GHS-US)	: Danger		
	: H350 - May cause cancer. H360 - May damage fertility or the unborn child.		
Precautionary statements (GHS-US)	<ul> <li>P201 - Obtain special instructions before use.</li> <li>P202 - Do not handle until all safety precautions have been read and understood.</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>P308+P313 - If exposed or concerned: Get medical advice/attention.</li> <li>P405 - Store locked up.</li> <li>P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation</li> </ul>		
2.3. Other hazards which do not result in	classification		
No additional information available			
2.4. Unknown acute toxicity (GHS US)			
Not applicable			
<b>SECTION 3: Composition/information</b>	on ingredients		
3.1. Substances			
Not applicable			
3.2. Mixtures			
Name		Product identifier	%
Tin		(CAS-No.) 7440-31-5	58.5 - 60.5
Lead		(CAS-No.) 7439-92-1	38 - 42
06/25/2018	EN (English)		Page 1

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures		
4.1. Description of first aid measures		
First-aid measures general :	IF exposed or concerned: Get medical advice/attention.	
First-aid measures after inhalation :	Remove person to fresh air and keep comfortable for breathing.	
	Wash skin with plenty of water.	
-	: Rinse eyes with water as a precaution.	
First-aid measures after ingestion :	Call a poison center or a doctor if you feel unwell. Rinse mouth.	
4.2. Most important symptoms and effects	(acute and delayed)	
No additional information available		
4.3. Immediate medical attention and speci	al treatment, if necessary	
Treat symptomatically.		
SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguishing		
	Dry powder. Water spray. Foam.	
Unsuitable extinguishing media :	Water.	
5.2. Specific hazards arising from the chen		
Reactivity :	The product is non-reactive under normal conditions of use, storage and transport.	
5.3. Special protective equipment and prec		
Protection during firefighting :	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	
<b>SECTION 6: Accidental release measu</b>	res	
6.1. Personal precautions, protective equip	ment and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures :	Do not breathe dust/fume/gas/mist/vapours/spray. Only qualified personnel equipped with suitable protective equipment may intervene.	
6.1.2. For emergency responders		
Protective equipment :	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Avoid release to the environment. Notify authorities	if product enters sewers or public waters.	
6.3. Methods and material for containment	and cleaning up	
For containment :	Collect spillage.	
Methods for cleaning up :	Mechanically recover the product. Notify authorities if product enters sewers or public waters.	
Other information :	Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		
For further information refer to section 13.		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling :	Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact during pregnancy/while nursing. Do not breathe dust/fume/gas/mist/vapours/spray. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly.	
Hygiene measures :	Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Separate working clothes from town clothes. Launder separately.	
7.2. Conditions for safe storage, including	any incompatibilities	
Storage conditions :	Store in a well-ventilated place. Keep cool. Store locked up.	

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

Lead (7439-92-1)			
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup>	
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	50 µg/m³	
IDLH	US IDLH (mg/m <sup>3</sup> )	100 mg/m <sup>3</sup>	
NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup>	
Tin (7440-31-5)			
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>	
IDLH	US IDLH (mg/m <sup>3</sup> )	100 mg/m <sup>3</sup>	
NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>	

#### 8.2. Appropriate engineering controls

: Ensure good ventilation of the work station.

Appropriate engineering controls Environmental exposure controls

: Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

#### Eye protection:

Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

# Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Solid	
Appearance	: White to light yellow metallic luster, various forms.	
Colour	: No data available	
Odour	: No data available	
Odour threshold	: No data available	
рН	: No data available	
Melting point	: 374 °F	
Freezing point	: Not applicable	
Boiling point	: No data available	
Flash point	: Not applicable	
Relative evaporation rate (butylacetate=1)	: No data available	
Flammability (solid, gas)	: Non flammable.	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: Not applicable	
Solubility	: No data available	
Log Pow	: No data available	
Auto-ignition temperature	: Not applicable	
Decomposition temperature	: No data available	

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: Not applicable
Explosive properties	: No data available
Oxidising properties	: No data available

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Oxidizing agent. Acids.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
ATE US (oral)	1166.667 mg/kg bodyweight	
Tin (7440-31-5)		
LD50 oral rat	700 mg/kg	
ATE US (oral)	700 mg/kg bodyweight	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: May cause cancer.	
Lead (7439-92-1)		
IARC group	2A - Probably carcinogenic to humans	
National Toxicity Program (NTP) Status	Reasonably anticipated to be Human Carcinogen	
In OSHA Hazard Communication Carcinogen list	Yes	
Reproductive toxicity	: May damage fertility or the unborn child.	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Viscosity, kinematic	: No data available	

<b>SECTION 12: Ecological information</b>		
12.1. Toxicity		
Ecology - general	: Very toxic to aquatic life.	
06/25/2018	EN (English)	4/6

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Lead (7439-92-1)	
LC50 fish 1	0.44 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])
EC50 Daphnia 1	600 μg/l (Exposure time: 48 h - Species: water flea)
LC50 fish 2	1.17 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])

### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

No additional information available

SECTION 13: Disposal consideration	
3.1. Disposal methods	5
Vaste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
SECTION 14: Transport information	
Department of Transportation (DOT)	
n accordance with DOT	
lot applicable	
ransportation of Dangerous Goods	
lot applicable	
ransport by sea	
lot applicable	
ir transport	
lot applicable	
SECTION 15: Regulatory information	
5.1. US Federal regulations	
Lead (7439-92-1)	
Listed on the United States TSCA (Toxic Substa Subject to reporting requirements of United Stat	
CERCLA RQ	10 lb no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 $\mu$ m

# Tin (7440-31-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2. International regulations

Lead (7439-92-1)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Tin (7440-31-5)
Listed on the TCSI (Taiwan Chemical Substance Inventory)

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 15.3. US State regulations

**WARNING**:

This product can expose you to Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Component	Carcinogenicity	Developmental toxicity	Reproductive toxicity male	Reproductive toxicity female	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Lead(7439-92-1)	Х	х	х	х	15 µg/day (oral)	0.5 µg/day

Component	State or local regulations
Lead(7439-92-1)	U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S Pennsylvania - RTK (Right to Know) List
Tin(7440-31-5)	U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List

### **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Full text of H-statements:

H350	May cause cancer.
H360	May damage fertility or the unborn child.
NFPA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard	: 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
	* - Chronic (long-term) health effects may result from repeated overexposure
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NO react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Personal protection	: B
	B - Safety glasses, Gloves

SDS US (GHS HazCom 2012)

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s). Lucas-Milhaupt, Inc.