

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 10/18/2017 Version: 5.0

SECTION 1: Identification

Identification

Product form : Mixture

Trade name : HANDY FLO 121 Product code A00001171

Recommended use and restrictions on use

No additional information available

Supplier

Lucas-Milhaupt, Inc. 5656 South Pennsylvania Ave. Cudahy, WI 53110 - USA T (414)-769-6000

LM_SDSinfo@lucasmilhaupt.com - www.Lucasmilhaupt.com

Emergency telephone number

Emergency number : CHEMTREC within the USA and Canada: 1-800-424-9300

CHEMTREC outside the USA and Canada +1 701-741-5970

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

GHS US classification

Acute toxicity (oral), H302 Harmful if swallowed.

Category 4

Serious eye damage/eye H320 Causes eye irritation

irritation, Category 2B

Reproductive toxicity, H361 Suspected of damaging fertility or the unborn child.

Category 2

Full text of H statements: see section 16

GHS Label elements, including precautionary statements

GHS US labelling

Hazard pictograms (GHS US)





Signal word (GHS US) : Warning

Hazard statements (GHS US) : H302 - Harmful if swallowed.

H320 - Causes eye irritation

H361 - Suspected of damaging fertility or the unborn child.

: P201 - Obtain special instructions before use. Precautionary statements (GHS US)

P202 - Do not handle until all safety precautions have been read and understood.

P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 - If swallowed: Call a poison center/doctor if you feel unwell

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 - If exposed or concerned: Get medical advice/attention.

P330 - Rinse mouth.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

Other hazards which do not result in classification

No additional information available

Unknown acute toxicity (GHS US)

Not applicable

05/20/2019 EN (English) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Potassium fluoride (K(HF2))	(CAS-No.) 7789-29-9	22 - 26
Boric acid (H3BO3)	(CAS-No.) 10043-35-3	22 - 26
Petroleum distillates, hydrotreated light	(CAS-No.) 64742-47-8	5.06 - 6.33
Carbonic acid, dipotassium salt	(CAS-No.) 584-08-7	2 - 5
Ethyl alcohol	(CAS-No.) 64-17-5	0.13 - 0.57

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a

doctor if you feel unwell.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician

immediately. Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Dry powder. Water spray. Foam.

Unsuitable extinguishing media : Water.

5.2. Specific hazards arising from the chemical

Fire hazard : Flammable solid. Self-heating: may catch fire. May form combustible dust concentrations in air.

Reactivity : The product is non-reactive under normal conditions of use, storage and transport. Flammable

solid. Self-heating: may catch fire.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

apparatus. Complete protective det

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapours/spray. Only qualified personnel equipped with suitable protective equipment may intervene. No open flames, no

sparks, and no smoking.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

05/20/2019 EN (English) 2/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Mechanically recover the product. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Handle under inert gas. Protect from moisture. Do not allow contact with water. Avoid dust formation. Use only outdoors or in a well-ventilated area.

Do not eat, drink or smoke when using this product. Always wash hands after handling the Hygiene measures

product. Separate working clothes from town clothes. Launder separately. Wash contaminated

clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Ground/bond container and receiving equipment. Maintain air gap between stacks/pallets.

Storage conditions

Store in a well-ventilated place. Keep cool. Store locked up. Protect from sunlight. Keep away from ignition sources. Store away from other materials. Protect from moisture. Store in a dry place. Store in a closed container. Store in corrosive resistant container with a resistant inner

liner. Keep only in original container. Keep container tightly closed.

Incompatible materials : Metals.

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

Potassium fluoride (K(HF2)) (7789-29-9)

Not applicable		
Ethyl alcohol (64-17-5)		
ACGIH	ACGIH STEL (ppm)	1000 ppm
OSHA	OSHA PEL (TWA) (mg/m³)	1900 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm
IDLH	US IDLH (ppm)	3300 ppm (10% LEL)
NIOSH	NIOSH REL (TWA) (mg/m³)	1900 mg/m³
NIOSH	NIOSH REL (TWA) (ppm)	1000 ppm

Boric acid (H3BO3) (10043-35-3)		
ACGIH	ACGIH TWA (mg/m³)	2 mg/m³ (inhalable particulate matter)
ACGIH	ACGIH STEL (mg/m³)	6 mg/m³ (inhalable particulate matter)

Petroleum distillates, hydrotreated light (64742-47-8)

Not applicable

Carbonic acid, dipotassium salt (584-08-7)

Not applicable

Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

05/20/2019 EN (English)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. [In case of inadequate ventilation] wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Colour : No data available Odour No data available : No data available Odour threshold : No data available Hq : No data available Melting point Freezing point : Not applicable Boiling point No data available Flash point Not applicable Relative evaporation rate (butylacetate=1) : No data available

Flammability (solid, gas) : Non flammable. Flammable solid. In contact with water releases flammable gases. In contact

with water releases flammable gases which may ignite spontaneously.

: No data available Vapour pressure Relative vapour density at 20 °C : No data available Relative density Not applicable Solubility : No data available Log Pow : No data available : Not applicable Auto-ignition temperature Decomposition temperature : No data available Viscosity, kinematic No data available : No data available Viscosity, dynamic Explosive limits : Not applicable Explosive properties No data available : No data available Oxidising properties

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport. Flammable solid. Self-heating: may catch fire.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. In contact with water releases flammable gases. In contact with water releases flammable gases which may ignite spontaneously.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. Water, humidity. Avoid dust formation.

10.5. Incompatible materials

metals.

05/20/2019 EN (English) 4/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

	SECTION 11: 1	Toxicologica	l information
--	---------------	--------------	---------------

Acute toxicity (oral) : Oral: Harmful if swallowed.

Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

ATE US (oral) 500 mg/kg bodyweight

Potassium fluoride (K(HF2)) (7789-29-9)	
LD50 oral rat	

ATE US (oral) 160 mg/kg bodyweight

Ethyl alcohol (64-17-5)

ATE US (dust,mist)

LD50 oral rat	7060 mg/kg
LC50 inhalation rat (mg/l)	124.7 mg/l/4h
ATE US (oral)	7060 mg/kg bodyweight
ATE US (vapours)	124.7 mg/l/4h

Boric acid (H3BO3) (10043-35-3)

LD50 oral rat	2660 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 0.16 mg/l/4h
ATE US (oral)	2660 mg/kg bodyweight

160 mg/kg

124.7 mg/l/4h

Petroleum distillates, hydrotreated light (64742-47-8)

Petroleum distillates, nydrotreated light (6474	2-41-6)
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 5.2 mg/l/4h
ATE US (vapours)	3 mg/l/4h

Carbonic acid, dipotassium salt (584-08-7)

controlled actor, importance and (controlled)	
LD50 oral rat	1870 mg/kg
ATE US (oral)	1870 mg/kg bodyweight

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Causes eye irritation.
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Ethvl	alco	ShAl.	164-1	7-51

7 ()	
IARC group	1 - Carcinogenic to humans
In OSHA Hazard Communication Carcinogen	Yes
list	

Reproductive toxicity : Suspected of damaging fertility or the unborn child.

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified
Viscosity, kinematic : No data available

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

05/20/2019 EN (English) 5/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Harmful to aquatic life.

Ethyl alcohol (64-17-5)				
LC50 fish 1	12.0 - 16.0 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])			
EC50 Daphnia 1	9268 - 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
LC50 fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])			
EC50 Daphnia 2	2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])			
Boric acid (H3BO3) (10043-35-3)				
EC50 Daphnia 1	115 - 153 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
Petroleum distillates, hydrotreated light (64742-47-8)				
LC50 fish 1	45 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])			
LC50 fish 2	2.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])			
Carbonic acid, dipotassium salt (584-08-7)				
EC50 Daphnia 1	630 mg/l (Exposure time: 48 h - Species: Ceriodaphnia dubia)			

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Ethyl alcohol (64-17-5)	
Log Pow	-0.32
Boric acid (H3BO3) (10043-35-3)	
BCF fish 1	0
Log Pow	-0.757 (at 25 °C)
Petroleum distillates, hydrotreated light (64742-47-8)	
BCF fish 1	61 - 159

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

05/20/2019 EN (English) 6/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Air transport

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Potassium fluoride (K(HF2)) (7789-29-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Ethyl alcohol (64-17-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Boric acid (H3BO3) (10043-35-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Petroleum distillates, hydrotreated light (64742-47-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Carbonic acid, dipotassium salt (584-08-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

Potassium fluoride (K(HF2)) (7789-29-9)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Ethyl alcohol (64-17-5)

Listed on IARC (International Agency for Research on Cancer) Listed on the TCSI (Taiwan Chemical Substance Inventory)

Boric acid (H3BO3) (10043-35-3)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Petroleum distillates, hydrotreated light (64742-47-8)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Carbonic acid, dipotassium salt (584-08-7)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations



This product can expose you to Ethyl alcohol, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Component	Carcinogenicity	Developmental toxicity	Reproductive toxicity male	Reproductive toxicity female	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Ethyl alcohol(64-17-5)	X	Х				
Methyl alcohol(67-56- 1)		Х				47000 μg/day inhalation
2-Pentanone, 4- methyl-(108-10-1)	X	Х				

Component	State or local regulations
Potassium fluoride (K(HF2))(7789-29-9)	U.S New Jersey - Right to Know Hazardous Substance List
Ethyl alcohol(64-17-5)	U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List

05/20/2019 EN (English) 7/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Component	State or local regulations
Boric acid (H3BO3)(10043-35-3)	
Carbonic acid, dipotassium salt(584-08-7)	
Petroleum distillates, hydrotreated light(64742-47-8)	

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-statements:

H302	Harmful if swallowed.
H320	Causes eye irritation
H361	Suspected of damaging fertility or the unborn child.

SDS US (GHS HazCom 2012)

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s). Lucas-Milhaupt, Inc.

05/20/2019 EN (English) 8/8