

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 08/09/2017 Version: 5.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Trade name : TRIMET® 258

Product code : A00000263

1.2. Recommended use and restrictions on use

Recommended use : Alloys for brazing/soldering and other metallurgical processes

1.3. Supplier

Lucas-Milhaupt, Inc. 5656 South Pennsylvania Ave. Cudahy, WI 53110 - USA T (414)-769-6000

LM_SDSinfo@lucasmilhaupt.com - www.Lucasmilhaupt.com

1.4. Emergency telephone number

Emergency number : CHEMTREC within the USA and Canada: 1-800-424-9300

CHEMTREC outside the USA and Canada +1 701-741-5970

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Acute toxicity H331 Toxic if inhaled.

(inhalation:dust,mist)

Category 3

Skin sensitisation, category H317 May cause an allergic skin reaction.

1B

Germ cell mutagenicity, H341 Suspected of causing genetic defects.

Category 2

Carcinogenicity, Category H350

1A

Reproductive toxicity, H361

Category 2

350 May cause cancer.

Suspected of damaging fertility or the unborn child.

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS-US labelling

Hazard pictograms (GHS-US)







Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H317 - May cause an allergic skin reaction.

H331 - Toxic if inhaled.

H341 - Suspected of causing genetic defects.

H350 - May cause cancer.

H361 - Suspected of damaging fertility or the unborn child.

Precautionary statements (GHS-US) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - If on skin: Wash with plenty of water

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P308+P313 - If exposed or concerned: Get medical advice/attention.

P311 - Call a poison center/doctor

P321 - Specific treatment (see supplemental first aid instruction on this label) P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

06/25/2018 EN (English) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Copper	(CAS-No.) 7440-50-8	54.44 - 58.44
Silver	(CAS-No.) 7440-22-4	24.8 - 26.8
Zinc	(CAS-No.) 7440-66-6	6 - 10
Cadmium	(CAS-No.) 7440-43-9	7.26 - 9.26
Nickel	(CAS-No.) 7440-02-0	1 - 2

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a physician immediately.

Call a doctor.

First-aid measures after skin contact : Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell. Rinse mouth.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Dry powder. Water spray. Foam.

Unsuitable extinguishing media : Water.

5.2. Specific hazards arising from the chemical

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene. Do not

breathe dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

06/25/2018 EN (English) 2/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Mechanically recover the product. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly.

Hygiene measures

Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Separate working clothes from town clothes. Launder separately.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool. Keep container tightly closed.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Cadmium (7440-43-9)

Cadmium (7440-43-	·9)		
ACGIH	ACGIH TWA (mg/m³)	0.01 mg/m³ 0.002 mg/m³ (respirable particulate matter)	
OSHA	OSHA PEL (TWA) (mg/m³)	0.1 mg/m³ (fume) 0.2 mg/m³ (dust) 5 µg/m³	
OSHA	OSHA PEL (Ceiling) (mg/m³)	0.3 mg/m³ (applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect-fume) 0.6 mg/m³ (applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect-dust)	
IDLH	US IDLH (mg/m³)	9 mg/m³ (dust)	
Copper (7440-50-8)			
ACGIH	ACGIH TWA (mg/m³)	0.2 mg/m³ (fume)	
OSHA	OSHA PEL (TWA) (mg/m³)	0.1 mg/m³ (fume) 1 mg/m³ (dust and mist)	
IDLH	US IDLH (mg/m³)	100 mg/m³ (dust, fume and mist)	
NIOSH REL (TWA) (mg/m³)		1 mg/m³ (dust and mist) 0.1 mg/m³ (fume)	
Nickel (7440-02-0)			
ACGIH	ACGIH TWA (mg/m³)	1.5 mg/m³ (inhalable particulate matter)	
OSHA	OSHA PEL (TWA) (mg/m³)	1 mg/m³	
IDLH	US IDLH (mg/m³)	10 mg/m³	
NIOSH	NIOSH REL (TWA) (mg/m³)	0.015 mg/m³	
Silver (7440-22-4)	Silver (7440-22-4)		
ACGIH	ACGIH TWA (mg/m³)	0.1 mg/m³ (dust and fume)	
OSHA	OSHA PEL (TWA) (mg/m³)	0.01 mg/m³	

06/25/2018 EN (English) 3/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Silver (7440-22-4)		
IDLH US IDLH (mg/m³) 10 mg/m³ (dust)		10 mg/m³ (dust)
NIOSH NIOSH REL (TWA) (mg/m³) 0.01 mg/m³ (dust)		0.01 mg/m³ (dust)
Zinc (7440-66-6)		
ACGIH	ACGIH TWA (mg/m³)	2 mg/m³ (as ZnO)

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : White to light yellow metallic luster, various forms.

Colour : No data available
Odour : No data available
Odour threshold : No data available
pH : No data available

No data available

: 1270 °F Melting point Freezing point : Not applicable Boiling point : No data available Flash point : Not applicable Relative evaporation rate (butylacetate=1) : No data available Flammability (solid, gas) : Non flammable. Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : Not applicable : No data available Solubility Log Pow : No data available Auto-ignition temperature : Not applicable

Decomposition temperature : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive limits : Not applicable Explosive properties : No data available Oxidising properties : No data available : No data available

9.2. Other information

No additional information available

06/25/2018 EN (English) 4/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Oxidizing agent. Strong acids. Alkai earth metals.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Inhalation:dust,mist: Toxic if inhaled.

Cadmium (7440-43-9)		
LD50 oral rat	1140 mg/kg	
LC50 inhalation rat (mg/l)	25 mg/m³ (Exposure time: 30 min)	
ATE US (oral)	1140 mg/kg bodyweight	
ATE US (gases)	100 ppmv/4h	
ATE US (vapours)	0.5 mg/l/4h	
ATE US (dust,mist)	0.05 mg/l/4h	

Nickel (7440-02-0)		
LD50 oral rat	> 9000 mg/kg	
LC50 inhalation rat (mg/l)	> 10.2 mg/l (Exposure time: 1 h)	

Silver (7440-22-4)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 2000 mg/kg

Zinc (7440-66-6)

LD50 oral rat

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Suspected of causing genetic defects.

630 mg/kg

Carcinogenicity : May cause cancer.

Cadmium (7440-43-9)		
IARC group 1 - Carcinogenic to humans		
National Toxicity Program (NTP) Status Known Human Carcinogens		
In OSHA Hazard Communication Carcinogen list	Yes	
In OSHA Specifically Regulated Carcinogen list	Yes	

Nickel (7440-02-0)		
IARC group	2B - Possibly carcinogenic to humans	
National Toxicity Program (NTP) Status Reasonably anticipated to be Human Carcinogen		
In OSHA Hazard Communication Carcinogen Yes		

Reproductive toxicity	:	Suspected of damaging fertility or the unborn child.
-----------------------	---	--

06/25/2018 EN (English) 5/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Cadmium (7440-43-9)			
STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure.			
Nickel (7440-02-0)			
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.		

Aspiration hazard : Not classified
Viscosity, kinematic : No data available

Symptoms/effects after skin contact : May cause an allergic skin reaction.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects. Very toxic to aquatic life with long lasting effects.

Cadmium (7440-43-9)		
LC50 fish 1	0.003 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])	
EC50 Daphnia 1	0.0244 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
LC50 fish 2	0.006 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])	
Copper (7440-50-8)		
LC50 fish 1	0.0068 - 0.0156 mg/l (Exposure time: 96 h - Species: Pimephales promelas)	
EC50 Daphnia 1	0.03 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
LC50 fish 2	< 0.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
Nickel (7440-02-0)		
LC50 fish 1	> 100 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)	
EC50 Daphnia 1	> 100 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC50 fish 2	1.3 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])	
EC50 Daphnia 2	1 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
Silver (7440-22-4)		
LC50 fish 1	0.00155 - 0.00293 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
EC50 Daphnia 1	0.00024 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
LC50 fish 2	0.0062 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])	
Zinc (7440-66-6)		
LC50 fish 1	2.16 - 3.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
EC50 Daphnia 1	0.139 - 0.908 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
LC50 fish 2	0.211 - 0.269 mg/l (Exposure time: 96 h - Species: Pimephales promelas [semi-static])	

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

06/25/2018 EN (English) 6/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not applicable

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Cadmium (7440-43-9)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313		
CERCLA RQ	10 lb no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 µm	
Copper (7440-50-8)		
Listed on the United States TSCA (Toxic Substan Subject to reporting requirements of United States		
CERCLA RQ	5000 lb no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μm	
Nickel (7440-02-0)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313		
CERCLA RQ	100 lb no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μm	
Silver (7440-22-4)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313		
CERCLA RQ	1000 lb no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μm	
Zinc (7440-66-6)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313		
CERCLA RQ	454 kg no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μm	

15.2. International regulations

Cadmium (7440-43-9)

Listed on IARC (International Agency for Research on Cancer) Listed as carcinogen on NTP (National Toxicology Program) Listed on the TCSI (Taiwan Chemical Substance Inventory)

Copper (7440-50-8)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

06/25/2018 EN (English) 7/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Nickel (7440-02-0)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Silver (7440-22-4)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Zinc (7440-66-6)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

MARNING:

This product can expose you to Cadmium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Component	Carcinogenicity	Developmental toxicity	Reproductive toxicity male	Reproductive toxicity female	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Cadmium(7440-43-9)	X	X	Х		0.05 µg/day (inhalation)	4.1 µg/day oral
Nickel(7440-02-0)	X					

Component	State or local regulations
Cadmium(7440-43-9)	U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S Pennsylvania - RTK (Right to Know) - Special Hazardous Substances U.S Pennsylvania - RTK (Right to Know) List
Copper(7440-50-8)	U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S Pennsylvania - RTK (Right to Know) List
Nickel(7440-02-0)	U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S Pennsylvania - RTK (Right to Know) - Special Hazardous Substances U.S Pennsylvania - RTK (Right to Know) List
Silver(7440-22-4)	U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S Pennsylvania - RTK (Right to Know) List
Zinc(7440-66-6)	U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-statements:

H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H361	Suspected of damaging fertility or the unborn child.

06/25/2018 EN (English) 8/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Materials that, under emergency conditions, can cause serious or permanent injury.
NFPA fire hazard	: 1 - Materials that must be preheated before ignition can occur.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating	

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is

given

* - Chronic (long-term) health effects may result from repeated overexposure

: 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)

: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal protection : E

B - Safety glasses, Gloves

SDS US (GHS HazCom 2012)

Flammability

Physical

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

Lucas-Milhaupt, Inc.

06/25/2018 EN (English) 9/9