

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 29 November 2017 Version: 2.0

SECTION 1: Identification

1.1. Product identifier

Product form : Mixture

Trade name : AMS 4778 (BNI-3)
Product code : A00000478
Product group : Trade product

1.2. Recommended use and restrictions on use

No additional information available

1.3. Supplier

Lucas-Milhaupt Toronto 290 Carlingview Drive M9W 5G1 Rexdale - Canada T +1 (416) 675-1860

LM_SDSinfo@lucasmilhaupt.com - www.lucasmilhaupt.com

1.4. Emergency telephone number

Emergency number : CHEMTREC Within the USA and Canada: 1-800-424-9300

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Skin sensitisation, Category 1 H317
Carcinogenicity, Category 2 H351
Specific target organ toxicity — Repeated exposure, Category 1 H372
Hazardous to the aquatic environment — Acute Hazard, Category 1 H400

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS CA labelling

Hazard pictograms (GHS CA)







Signal word (GHS CA) : Danger

Hazard statements (GHS CA) : H317 - May cause an allergic skin reaction.

H351 - Suspected of causing cancer.

H372 - Causes damage to organs through prolonged or repeated exposure.

H400 - Very toxic to aquatic life.

Precautionary statements (GHS CA) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 - Wash hands, forearms and face thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.
P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P308+P313 - IF exposed or concerned: Get medical advice/attention.

P314 - Get medical advice/attention if you feel unwell.

P321 - Specific treatment (see supplemental first aid instruction on this label)
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.

P391 - Collect spillage. P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

2.3. Other hazards

No additional information available

2 May 2019 EN (English) Page 1

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Unknown acute toxicity (GHS CA)

No data available

SECTION 3: Composition/information on ingredients

Substances

Not applicable

Mixtures

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS CA)
Nickel	Nickel metal / Nickel, elemental / Nickel, metallic / Nickel, metal / C.I. 77775	(CAS-No.) 7440-02-0	91.5 - 93.25	Skin Sens. 1, H317 Carc. 2, H351 STOT RE 1, H372 Aquatic Acute 1, H400
Silicon	Silicon powder	(CAS-No.) 7440-21-3	4 - 5	Not classified
Boron		(CAS-No.) 7440-42-8	2.75 - 3.5	Acute Tox. 4 (Oral), H302

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: First-aid measures after skin contact

Get medical advice/attention.

First-aid measures after eye contact Rinse eyes with water as a precaution.

First-aid measures after ingestion Call a poison center or a doctor if you feel unwell. First-aid measures general : IF exposed or concerned: Get medical advice/attention.

Most important symptoms and effects (acute and delayed) 4.2.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

Suitable extinguishing media

Suitable extinguishing media : Dry powder. Water spray. Foam.

Unsuitable extinguishing media

Unsuitable extinguishing media : Water.

Specific hazards arising from the hazardous product

No additional information available

Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

No additional information available

Methods and materials for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Mechanically recover the product. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage

Precautions for safe handling

: Ensure good ventilation of the work station. Obtain special instructions before use. Do not Precautions for safe handling

handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls

and other surfaces in the hazard area must be cleaned regularly.

2 May 2019 EN (English) 2/6

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Hygiene measures

: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Separate working clothes from town clothes. Launder separately.

10 mg/m³

20 mg/m³

10 mg/m³

20 mg/m³

30 mppcf

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Nickel (7440-02-0)		
USA - ACGIH	ACGIH TWA (mg/m³)	1.5 mg/m³ (inhalable particulate matter)
USA - OSHA	OSHA PEL (TWA) (mg/m³)	1 mg/m³
Canada (Quebec)	VEMP (mg/m³)	1 mg/m³
Alberta	OEL TWA (mg/m³)	1.5 mg/m³
British Columbia	OEL TWA (mg/m³)	0.05 mg/m³
Manitoba	OEL TWA (mg/m³)	1.5 mg/m³ (inhalable particulate matter)
New Brunswick	OEL TWA (mg/m³)	1 mg/m³
Newfoundland & Labrador	OEL TWA (mg/m³)	1.5 mg/m³ (inhalable particulate matter)
Nova Scotia	OEL TWA (mg/m³)	1.5 mg/m³ (inhalable particulate matter)
Nunavut	OEL STEL (mg/m³)	3 mg/m³ (inhalable fraction)
Nunavut	OEL TWA (mg/m³)	1.5 mg/m³ (inhalable fraction)
Northwest Territories	OEL STEL (mg/m³)	3 mg/m³ (inhalable fraction)
Northwest Territories	OEL TWA (mg/m³)	1.5 mg/m³ (inhalable fraction)
Ontario	OEL TWA (mg/m³)	1 mg/m³ (inhalable)
Prince Edward Island	OEL TWA (mg/m³)	1.5 mg/m³ (inhalable particulate matter)
Saskatchewan	OEL STEL (mg/m³)	3 mg/m³ (inhalable fraction)
Saskatchewan	OEL TWA (mg/m³)	1.5 mg/m³ (inhalable fraction)
Yukon	OEL STEL (mg/m³)	3 mg/m³
Yukon	OEL TWA (mg/m³)	1 mg/m³
Silicon (7440-21-3)		
USA - OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (total dust) 5 mg/m³ (respirable fraction)
Canada (Quebec)	VEMP (mg/m³)	10 mg/m³ (containing no Asbestos and <1% Crystalline silica-total dust)
British Columbia	OEL TWA (mg/m³)	10 mg/m³ (total dust)
New Brunswick	OEL TWA (mg/m³)	10 mg/m³
Nunavut	OEL STEL (mg/m³)	20 mg/m³
Nunavut	OEL TWA (mg/m³)	10 mg/m³
Northwest Territories	OEL STEL (mg/m³)	20 mg/m³
	1	

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

OEL TWA (mg/m³)

OEL STEL (mg/m³)

OEL TWA (mg/m³)

OEL STEL (mg/m³)

OEL TWA (mg/m³)

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Northwest Territories

Saskatchewan

Saskatchewan

Yukon

Yukon

Protective gloves

Eye protection:

Safety glasses

2 May 2019 EN (English) 3/6

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

: No data available Appearance : No data available Colour Odour : No data available Odour threshold No data available рΗ : No data available Relative evaporation rate (butylacetate=1) : No data available Relative evaporation rate (ether=1) : No data available Melting point No data available Freezing point Not applicable No data available Boiling point Flash point : Not applicable Not applicable Auto-ignition temperature Decomposition temperature No data available Flammability (solid, gas) : Non flammable. : No data available Vapour pressure No data available Vapour pressure at 50 °C Relative density Not applicable : No data available Solubility Log Pow : No data available Explosive limits : Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reactions known under normal conditions of use.

Conditions to avoid : None under recommended storage and handling conditions (see section 7).

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Boron (7440-42-8)		
LD50 oral rat	650 mg/kg	
ATE CA (oral)	650 mg/kg bodyweight	
Nickel (7440-02-0)		
LD50 oral rat	> 9000 mg/kg	
LC50 inhalation rat (mg/l)	> 10.2 mg/l (Exposure time: 1 h)	
Silicon (7440-21-3)		
LD50 oral rat	3160 mg/kg	
ATE CA (oral)	3160 mg/kg bodyweight	

2 May 2019 EN (English) 4/6

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Suspected of causing cancer.

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

: Causes damage to organs through prolonged or repeated exposure.

STOT-repeated exposure

Nickel (7440-02-0)	
STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure.	
Aspiration hazard	: Not classified

·

Symptoms/effects after skin contact : May cause an allergic skin reaction.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment. Very toxic to aquatic life.

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Not classified

Nickel (7440-02-0)	
LC50 fish 1	> 100 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)
LC50 fish 2	1.3 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])
EC50 Daphnia 1	> 100 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 Daphnia 2	1 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
EC50 72h algae (1)	0.18 mg/l (Species: Pseudokirchneriella subcapitata)
EC50 96h algae (1)	0.174 - 0.311 mg/l (Species: Pseudokirchneriella subcapitata [static])

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Ozone : Not classified

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

14.1. Basic shipping description

In accordance with TDG

Transportation of Dangerous Goods

Not regulated for transport

14.2. Transport information/DOT

Department of Transport

Not regulated for transport

2 May 2019 EN (English) 5/6

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

14.3. Air and sea transport

IMDG

Not regulated for transport

IATA

Not regulated for transport

SECTION 15: Regulatory information

15.1. National regulations

Boron (7440-42-8)

Listed on the Canadian DSL (Domestic Substances List)

Nickel (7440-02-0)

Listed on the Canadian DSL (Domestic Substances List)

Silicon (7440-21-3)

Listed on the Canadian DSL (Domestic Substances List)

15.2. International regulations

Boron (7440-42-8)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Nickel (7440-02-0)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on Turkish inventory of chemical

Silicon (7440-21-3)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on Turkish inventory of chemical

SECTION 16: Other information

Date of issue : 29 November 2017

Full text of H-statements:

H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H351	Suspected of causing cancer.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.

SDS Canada (GHS)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

2 May 2019 EN (English) 6/6