

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 05/16/2017 Version: 5.0

SECTION 1: Identification

Identification

Product form : Mixture Trade name : EASY-FLO® 30 Product code A0000035

Recommended use and restrictions on use

Recommended use : Alloys for brazing/soldering and other metallurgical processes

1.3. **Supplier**

Lucas-Milhaupt, Inc. 5656 South Pennsylvania Ave. Cudahy, WI 53110 - USA T (414)-769-6000

LM_SDSinfo@lucasmilhaupt.com - www.Lucasmilhaupt.com

Emergency telephone number

Emergency number : CHEMTREC within the USA and Canada: 1-800-424-9300

CHEMTREC outside the USA and Canada +1 701-741-5970

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

GHS-US classification

Acute toxicity H330 Fatal if inhaled

(inhalation:dust,mist)

Category 2

Germ cell mutagenicity, H341 Suspected of causing genetic defects.

Category 2

Carcinogenicity, Category H350 May cause cancer.

Reproductive toxicity, H361 Suspected of damaging fertility or the unborn child.

Category 2

Specific target organ H372

toxicity — Repeated exposure, Category 1

Full text of H statements: see section 16

GHS Label elements, including precautionary statements

GHS-US labelling

Hazard pictograms (GHS-US)





Signal word (GHS-US) : Danger

Hazard statements (GHS-US) H330 - Fatal if inhaled.

H341 - Suspected of causing genetic defects.

H350 - May cause cancer.

H361 - Suspected of damaging fertility or the unborn child.

H372 - Causes damage to organs through prolonged or repeated exposure.

: P201 - Obtain special instructions before use. Precautionary statements (GHS-US)

P202 - Do not handle until all safety precautions have been read and understood.

Causes damage to organs through prolonged or repeated exposure.

P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P284 - [In case of inadequate ventilation] wear respiratory protection.

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P308+P313 - If exposed or concerned: Get medical advice/attention.

P310 - Immediately call a poison center/doctor P314 - Get medical advice/attention if you feel unwell.

06/25/2018 EN (English) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P320 - Specific treatment is urgent (see supplemental first aid instruction on this label).

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

Other hazards which do not result in classification

No additional information available

Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

Substances

Not applicable

3.2. **Mixtures**

Name	Product identifier	%
Silver	(CAS-No.) 7440-22-4	29 - 31
Copper	(CAS-No.) 7440-50-8	26 - 28
Zinc	(CAS-No.) 7440-66-6	21 - 25
Cadmium	(CAS-No.) 7440-43-9	19 - 21

Full text of hazard classes and H-statements: see section 16

SECTION 4: First-aid measures

Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. Call a physician immediately.

Call a doctor.

First-aid measures after skin contact : Wash skin with plenty of water. First-aid measures after eye contact Rinse eyes with water as a precaution.

: Call a poison center or a doctor if you feel unwell. Rinse mouth. First-aid measures after ingestion

4.2. Most important symptoms and effects (acute and delayed)

No additional information available

Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Dry powder. Water spray. Foam.

Unsuitable extinguishing media : Water.

5.2. Specific hazards arising from the chemical

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

Special protective equipment and precautions for fire-fighters 5.3.

: Do not attempt to take action without suitable protective equipment. Self-contained breathing Protection during firefighting

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel 6.1.1.

Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene. Do not

breathe dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection"."

Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

06/25/2018 EN (English) 2/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Mechanically recover the product. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapours/spray. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Separate working clothes from town clothes. Launder separately.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store locked up. Keep container tightly closed. Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Cilver (7440 00 4)

Silver (7440-22-4)		
ACGIH	ACGIH TWA (mg/m³)	0.1 mg/m³ (dust and fume)
OSHA	OSHA PEL (TWA) (mg/m³)	0.01 mg/m³
IDLH	US IDLH (mg/m³)	10 mg/m³ (dust)
NIOSH	NIOSH REL (TWA) (mg/m³)	0.01 mg/m³ (dust)
Cadmium (7440-43-9)		
ACGIH	ACGIH TWA (mg/m³)	0.01 mg/m³ 0.002 mg/m³ (respirable particulate matter)
OSHA	OSHA PEL (TWA) (mg/m³)	0.1 mg/m³ (fume) 0.2 mg/m³ (dust) 5 μg/m³
OSHA	OSHA PEL (Ceiling) (mg/m³)	0.3 mg/m³ (applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect-fume) 0.6 mg/m³ (applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect-dust)
IDLH	US IDLH (mg/m³)	9 mg/m³ (dust)
Copper (7440-50-8)		
ACGIH	ACGIH TWA (mg/m³)	0.2 mg/m³ (fume)
OSHA	OSHA PEL (TWA) (mg/m³)	0.1 mg/m³ (fume) 1 mg/m³ (dust and mist)
IDLH	US IDLH (mg/m³)	100 mg/m³ (dust, fume and mist)
NIOSH	NIOSH REL (TWA) (mg/m³)	1 mg/m³ (dust and mist) 0.1 mg/m³ (fume)
Zinc (7440-66-6)		
ACGIH	ACGIH TWA (mg/m³)	2 mg/m³ (as ZnO)

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

06/25/2018 EN (English) 3/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : White to light yellow metallic luster, various forms.

Colour : No data available
Odour : No data available
Odour threshold : No data available
pH : No data available

: 1310 °F Melting point Freezing point : Not applicable : No data available Boiling point Not applicable Flash point : No data available Relative evaporation rate (butylacetate=1) Flammability (solid, gas) : Non flammable. Vapour pressure No data available Relative vapour density at 20 °C : No data available Relative density : Not applicable Solubility : No data available : No data available Log Pow Auto-ignition temperature Not applicable Decomposition temperature : No data available Viscosity, kinematic : No data available No data available Viscosity, dynamic **Explosive limits** : Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Explosive properties

Oxidising properties

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

06/25/2018 EN (English) 4/8

: No data available

: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Inhalation:dust,mist: Fatal if inhaled.

Silver (7440-22-4)

 LD50 oral rat
 > 5000 mg/kg

 LD50 dermal rat
 > 2000 mg/kg

Cadmium (7440-43-9)

Caumum (1440-43-3)	
LD50 oral rat	1140 mg/kg
LC50 inhalation rat (mg/l)	25 mg/m³ (Exposure time: 30 min)
ATE US (oral)	1140 mg/kg bodyweight
ATE US (gases)	100 ppmv/4h
ATE US (vapours)	0.5 mg/l/4h
ATE US (dust,mist)	0.05 mg/l/4h

Zinc (7440-66-6) LD50 oral rat

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Suspected of causing genetic defects.

Carcinogenicity : May cause cancer.

IARC group	1 - Carcinogenic to humans
National Toxicity Program (NTP) Status	Known Human Carcinogens
In OSHA Hazard Communication Carcinogen list	Yes
In OSHA Specifically Regulated Carcinogen list	Yes

Reproductive toxicity : Suspected of damaging fertility or the unborn child.

STOT-single exposure : Not classified

STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.

630 mg/kg

STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified
Viscosity, kinematic : No data available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects. Very toxic to aquatic life with long lasting effects.

Silver (7440-22-4)	
LC50 fish 1	0.00155 - 0.00293 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 1	0.00024 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 fish 2	0.0062 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])

06/25/2018 EN (English) 5/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Cadmium (7440-43-9)	
LC50 fish 1	0.003 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
EC50 Daphnia 1	0.0244 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 fish 2	0.006 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
Copper (7440-50-8)	
LC50 fish 1	0.0068 - 0.0156 mg/l (Exposure time: 96 h - Species: Pimephales promelas)
EC50 Daphnia 1	0.03 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 fish 2	< 0.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
Zinc (7440-66-6)	
LC50 fish 1	2.16 - 3.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	0.139 - 0.908 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 fish 2	0.211 - 0.269 mg/l (Exposure time: 96 h - Species: Pimephales promelas [semi-static])

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not applicable

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Silver (7440-22-4)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
CERCLA RQ	1000 lb no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100~\mu m$

06/25/2018 EN (English) 6/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Cadmium (7440-43-9)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313		
CERCLA RQ	10 lb no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μm	
Copper (7440-50-8)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313		
CERCLA RQ	5000 lb no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μm	
Zinc (7440-66-6)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313		
CERCLA RQ	454 kg no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μm	

15.2. International regulations

Silver (7440-22-4)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Cadmium (7440-43-9)

Listed on IARC (International Agency for Research on Cancer) Listed as carcinogen on NTP (National Toxicology Program) Listed on the TCSI (Taiwan Chemical Substance Inventory)

Copper (7440-50-8)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Zinc (7440-66-6)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations



This product can expose you to Cadmium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Component	Carcinogenicity	Developmental toxicity	Reproductive toxicity male	Reproductive toxicity female	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Cadmium(7440-43-9)	Х	X	X		0.05 μg/day (inhalation)	4.1 µg/day oral

Component	State or local regulations
Silver(7440-22-4)	U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S Pennsylvania - RTK (Right to Know) List
Cadmium(7440-43-9)	U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S Pennsylvania - RTK (Right to Know) - Special Hazardous Substances U.S Pennsylvania - RTK (Right to Know) List
Copper(7440-50-8)	U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S Pennsylvania - RTK (Right to Know) List
Zinc(7440-66-6)	U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S Pennsylvania - RTK (Right to Know) List

06/25/2018 EN (English) 7/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information


according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-statements:

H330	Fatal if inhaled.				
H341	Suspected of causing genetic defects.				
H350	May cause cancer.				
H361	Suspected of damaging fertility or the unborn child.				
H372	Causes damage to organs through prolonged or repeated exposure.				

	H361	Suspected of damaging fertility or the unborn child.	
	H372	Causes damage to organs through prolonged or repeated exposure.	
NFPA health hazard		: 3 - Materials that, under emergency conditions, can cause serious or permanent injury.	
NFF	PA fire hazard	: 1 - Materials that must be preheated before ignition can occur.	\
NFF	PA reactivity	: 0 - Material that in themselves are normally stable, even	/

under fire conditions.



Hazard Rating

Flammability

Physical

: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is Health

given

* - Chronic (long-term) health effects may result from repeated overexposure

: 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids,

solids and semi solids having a flash point above 200 F. (Class IIIB)

0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal protection

B - Safety glasses, Gloves

SDS US (GHS HazCom 2012)

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s). Lucas-Milhaupt, Inc.

06/25/2018 EN (English) 8/8